Consumer Confidence Report Certification Form

Wate	er Syste	em Name:	Paradise	e Valley		
Wate	er Syste	em Number:	1700516			
June certi	e 17, 2 0 fies tha	113 to customent the inform	ers (and ap	opropriate notices of availa	ability have beer orrect and cons	ce Report was distributed on a given). Further, the system sistent with the compliance
Cert	ified by	: Name:		Mark Dellinger	,	
		Signat	ure:	Mount Die	llings	
		Title:		Administrator		
		Phone	Number:	(707) 263-0119	Da	te: June 18, 2013
	cCR	at apply and f was distribu	ill-in where ted by ma	re appropriate:	ry methods. S	plete the below by checking pecify other direct delivery
X		d faith" effor		sed to reach non-bill pay	ing consumers.	Those efforts included the
	X	Posting the	CCR on th	ne Internet at:		
	http	://www.c	o.lake.d	ca.us/Governmen	t/Directory/	Special_Districts/Con
	s	umer_Co	nfidenc	e_Reports.htm		
		Mailing the	CCR to po	ostal patrons within the se	rvice area (attacl	ı zip codes used)
		Advertising	the availal	bility of the CCR in news	media (attach co	opy of press release)
				CR in a local newspaper uding name of newspaper		llation (attach a copy of the ed)
		Posted the C	CCR in put	blic places (attach a list of	locations)	
				copies of CCR to single-b	illed addresses s	serving several persons, such
		Delivery to	communit	y organizations (attach a l	ist of organization	ons)
		ystems servin Illowing addro	1000	1/2 I I I I I I I I I I I I I I I I I I I	CCR on a publi	cly-accessible internet site at
	For p	rivately-owne	ed utilities:	: Delivered the CCR to th	e California Pub	lic Utilities Commission

ŀ	
	٠,
	m
ı	ñ
İ	BLE
ı	`
١	_
ı	'n
ı	η,
ı	=
	풉
ı	Ē,
ļ,	=
ľ	q.
ı	×
ı	æ
ı	Ĕ
ı	#
ı	Š
ı	S
ı	7
۱	3
l	≥.
Į.	5
	٠,
ı	=
l	ĕ
l	-
1	×
ł	*
Ì	ö
ı	⊈,
ı	유
۱	Ξ
1	Ç
ı	7
ı	Ω
Į	오
1	×
ł	2
1	Ħ
į	 Sampling Results Showing The Detection Of Coliform Bacteria
l	ŭ
ĺ	35
ı	=
ı	ň
ı	83
Į	
į	
1	

Salar Commence of the Commence	O				1	
	linit			Highest	No. of months	
Contaminant	Measurement	MCL	MCLG	detections	in violation	in violation Typical Source of Bacteria
n Bacteria	No more than I positive sample in a month.	ple in a month.	0	0	0	0 Naturally present in the environment.
A routine sample and a repeat sample detect total coliform and <i>E. Coli</i> coliform and either sample also detects fecal coliform or <i>E. Coli</i> .	A routine sample and a repeat sample detect total coliform and either sample also detects fecal colif or <i>E. Coli.</i>	at sample detect total Iso detects fecal coliform	0	0	0	Hunan and animal waste
TABLE 2 - Sampling Results Showing The Defection Of Lead and Copper	Showing The Detection Of	Lead and Copper				

A Control of the Cont						
	Number of	90th percentile	Number of 90th percentile Number of samples exceeding	MOST RECENT SAMPLE DATE AL	<u>*</u>	Typical source of Contaminant
Contaminant	panipics	parapace acres acres	1.000			Internal corrosion of household plumbing systems; discharges from industrial manufacturers; erosion
Lead (ppm)	<u></u>	0.021		September 6, 2012	0.015	of natural deposits.
						Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood
Conner (ppm)	 Us	0.605	0	September 6, 2012	1.5	preservatives.
COLDER CHOSE	,					District is properly for according

Note: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Special Districts is responsible for providing the present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components as sociated with service lines and home plumbing. Special Districts is responsible for providing your tap for 20 seconds to 2 minutes before using water for drinking or high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water host is responsible for providing your tap for 20 seconds to 2 minutes before using water for drinking or this plumbing. The providing your tap for 20 seconds to 2 minutes before using water for drinking or this plumbing. The providing your tap for 20 seconds to 2 minutes before using water for drinking or this plumbing. The providing your tap for 20 seconds to 2 minutes before using water for drinking or this plumbing. The providing your tap for 20 seconds to 2 minutes before using water for drinking or this plumbing. The providing your tap for 20 seconds to 2 minutes before using water for drinking or this plumbing. The providing your tap for 20 seconds to 2 minutes before using water for drinking or this plumbing. The providing your tap for 20 seconds to 2 minutes before using water for drinking or the providing your tap for 20 seconds to 2 minutes before using water for drinking or the providing your tap for 20 seconds to 2 minutes before using your tap for 20 seconds to 2 minutes before using your tap for 20 seconds to 2 minutes before using your tap for 20 seconds to 2 minutes before using your tap for 20 seconds to 2 minutes before using your tap for 20 seconds to 2 minutes before using your tap for 20 seconds to 2 minutes before using your tap for 20 sec

TABLE 3 - Sampling Results For Sodium and Hardness

	-						7,747	Transfer of Cacco
Generally found in ground and surface water.	204-344	308.16	10/17/2012**	Z.	Z	N/A	nnm	Hardness (as CaCO3)
	****						. P. P	Donny (14th)
Generally found in ground and surface water.	26-50	45.22	10/17/2012**	N/A	Z	Z/>	nan	Sodium (Na)
							0	Contaminant
Typical Source of Contaminant	DETECTIONS	DETECTED	MOST RECENT SAMPLE DATE	MCL6	PHG	MCI	I nit	Cantaminante
			MACOUNT TO THE PARTY OF THE PARTY					

TABLE 4 - DETECTION OF CONTAMINANTS WITH A <u>PRIMARY</u> DRINKING WATER STANDARD. Sampling Results For Radioactive Contaminants

Sampling Nesdits For Nadioactive Contaminants	active Contra	Canada Ca						The state of the s
Gross Alpha Activity	pCi/L	15	N/A	0	October 19, 2011	1.04	0.63-2.28	0.63-2.28 Erosion of natural deposits
Compling results for Increase	sic Contami	nante						And the same of th
Barium(Ba) opb	cob	1000	N/A	2000	10/17/2012**	16.8	<100-280	<100-280 Discharge of oil drilling wastes from metal refineries; erosion of natural deposits.
								Some men who drink water containing boron in excess of the action level over many years may
Boron	pp.	1000	N/A	N/A	May 14, 2003	520	N/A	experience reproductive effects, based on study in dogs.
								Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and
Fluoride (natural)	tude	2	_	N/A	October 17, 2012	0.25	0.17-0.33	0.17-0.33 aluminum factories.
Nitrate (as nitrate, NO3)	urdd	45	_	45	October 17, 2012	<2.0		Runoff and leaching from fertilizer use, septic tanks, sewage, and/or erossion of natural deposits.

Sampling Results for Disinfection and Disinfection Byproducts, Disinfection Residuals, and Disinfection Byproduct Precursors.

Unit (MRDL) (MRDLG) (MRDLG) MOST RECENT SAMPLE DATE DETECTION									
ppm 4 0.8 0.8 December 31, 2010 2.8 N/A ppb 60 N/A N/A September 29, 2010 6.6 N/A ppb 80 N/A N/A September 29, 2010 16.8 N/A	Contaminants	Unit	(MRDL)	(MRDLG)	(MRDLG)	MOST RECENT SAMPLE DATE	DETECTED	RANGE OF DETECTIONS	Typical Source of Contaminant
ppb 60 N/A N/A September 29, 2010 6.6 N/A ppb 80 N/A N/A September 29, 2010 16.8 N/A	Chlorine	ppm	4	0.8	0.8	December 31, 2010	2.8	ľ	Drinking water disinfectant added for treatment.
ppb 80 N/A N/A September 29, 2010 16.8 N/A	Haloacetic Acids	ppb	60	N/A	N/A	September 29, 2010	6.6		By-product of drinking water chlorination.
	TTHM's (Total Trihalomethanes)	ppb	08	N/A	N/A	September 29, 2010	16.8		By-product of drinking water chlorina

/anadium ppb ZA N/A

Sampling Results For Volatile Organic Contaminants

NA level over many years may have an increased risk of developmental effects, based on studies in laboratory animals. The babies of some pregnant women who drink water containing vanadium in excess of the action

TABLE 5 - DETECTION OF CONTAMINANTS WITH A SECONDARY DRINKING WATER STANDARD. Note: There are no PHG's or MCLG's for constituents with secondary drinking water standards because these are not health-based levels, but set on the basis of aesthetics.

N/A

May 14, 2003

2

(Aluminum (Al)	daa	200	N/A	N/A	10/17/2012**	< 50	N/A	Erosion of natural deposits
Iron (Fe)	ppb	300	ΝΑ	N/A	10/17/2012**	438*	<100-7,300	Leaching from natural deposits; industrial wastes.
Manganese (Mn)	ppb	50	N/A	A/N	10/17/2012**	239*	140-1100	Leaching from natural deposits.
Turbidity	DIN	5	N/A	N/A	10/17/2012**	8.81*	0.03-140	Soil runoff.
Total Dissolved Solids (TDS)	mdd	1000	N/A	N/A	10/17/2012**	398.8		Runoff/leaching from natural deposits.
Specific Conductance	umho/cm	1600	N/A	N/A	10/17/2012**	661.7	470-720	Substances that form ions when in water, seawater influence.
Chloride (CI)	ppm	500	N/A	N/A	10/17/2012**	5.161	4.1-5.3	Runoff/leaching from natural deposits; seawater influence.
Zinc	þþb	5000	N/A	N/A	10/17/2012**	258	<50-4,300	Runoff / leaching from natural deposits; industrial wastes.
Sulfate (as SO4)	ppm	500	N/A	N/A	10/17/2012**	11.94	4.5-34	Runoff/leaching from natural deposits; industrial wastes.



2012 Consumer Confidence Report

CSA No. 16 - Paradise Valley Water System

June 15, 2013

2012). We test the drinking water quality for many constituents as required by State and Federal Regulations. This report shows the results of our monitoring for the period of January 1 - December 31, 2012 (or earlier, if monitoring was not required in

Este informe contiene informacion muy importante sobre su agua de beber. Traduzcalo o hable con alguien que lo entiende bien

Type of water source: Wells

Name and location of source(s): Well #1, Lagoon Drive, Lucerne. Well #2, CSA 16 Tank Site, Lucerne. Well #3, Lagoon Drive, Lucerne

Time and place of regularly scheduled board meetings for public participation: The Lake County Board of Supervisors regularly meets at 9:00 am on the first four Tuesdays of the month. Board of Supervisors Chambers, 255 N. Forbes St. Lakeport, CA.

For more information, contact: Janet Coppinger, Utility Systems Compliance Coordinator

Phone: (707)-263-0119

erms used in this report	- Control - Cont
Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCL's are set as close as is economically and technologically feasible. Secondary MCL's are set to protect the odor, taste, and appearance	Primary Drinking Water Standards (PDWS): MCL's for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.
Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk appearance to health. MCLG's are set by the U.S. Environmental Protection Agency.	Secondary Drinking Water Standards (SDWS): MCL's for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWS do not affect the health at the MCL level.
Maximum Residual Disinfectant Level (MRDL): The level of a disinfectant added for water treatment that may not be exceeded at the customer's tap.	Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected health risk. PHG's are set by the California Environmental Protection Agency.
Maximum Residual Disinfectant Level Goal (MRDLG): The level of a disinfectant added for water treatment below which there are no known or expected risks to health. MRDLGs are set by the U.S. EPA	Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.
ND: Not detectable at testing limit	Regulatory Action Level (AL): The concentration of a contaminant which, it exceeded, inggets treatment or other requirements which a water system must follow.
ppb: parts per billion or micrograms per liter (ug/L)	Variances and Exemptions: Department permission to exceed an MCL or not comply with a
ppt: parts per trillion or nanograms per liter (ng/L)	treatment technique under certain conditions.
DCIL: Dicocuries per liter (a nicasure or nautanon).	

and, in some cases, radioactive material. It can, also, pick up substances resulting from the presence of animals or from human activity. The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves minerals that occur naturally

about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791) All Drinking Water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information

with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791)

Contaminants that may be present in source water include:

- * Microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- * Inorganic contaminants, such as salts and metals, that can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming
- * Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and septic systems.
- * Organic chemical contaminants, including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- * Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities

regulations also establish limits for contaminants in bottled water that must provide the same protection for public health In order to ensure that tap water is safe to drink, USEPA and the state Department of Health Services (Department) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. Department

poses a health risk. The Department requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data, though Tables 1,2,3,4, and 5 list all of the drinking water contaminants that were detected during monitoring performed in the year 2012 or earlier. The presence of these contaminants in the water does not necessarily indicate that the water representative of the water quality, are more than one year old